

Canadian Reel Return Policy

June 21, 2010

Definition of a Returnable Reel

A returnable reel is comprised of any reel, of either wood or steel construction, for which a deposit was paid to General Cable at the time of purchase. Title to returnable reels shall remain in the name of General Cable or its affiliates.

Billing Policy

The terms of the policy are part of our agreement with you for resale of products and services. Returnable reel deposits will be invoiced at time of shipment. Cash discounts and rebates do not apply to reel deposits. Returnable reel deposits will be subject to the Goods and Services Tax (GST), Harmonize Sales Tax (HST), and the Quebec Sales Tax where applicable.

Reel Deposit Refund Policy

The deposit paid on the reel at time of shipment will be refunded less 7% when the reel is returned to a General Cable designated Recycling Centre. The refund will be paid, to the party who paid the initial deposit, when the reel is returned to a Recycling Centre with a label showing a legible serial number affixed to the reel flange. Returnable reels returned without a label or with an illegible label will not be eligible for a refund.

Return Date

Reels for which a deposit was paid must be returned to a Recycling Centre within Five (5) years from the date of shipment from General Cable. No refund will be provided for reels returned after Five (5) years.

Return Transportation

Reels must be returned “freight prepaid” to one of the General Cable Recycling Centres listed in the following pages. Reels returned “collect” will not be accepted.

No Deposit Reels and Pallets

Reels and pallets for which no deposit was charged at the time of purchase may be returned to the nearest recycling centre on a freight prepaid basis. No credit will be provided for these reels, lags and pallets.



Recycling Centres:

All reels, lags and pallets should be returned “freight prepaid” to General Cable c/o one of the following Recycling Centres. We would ask that all returned material be free of nails to ensure safety during handling and transport. Returns must be accompanied by a packing list and bill of lading. Questions regarding the return of reels should be directed to the nearest General Cable Sales Office.

Maritimes

Farris Trucking Ltd.
1119 Hwy. #2
Hilden, NS
BON 1C0
Tel: 902 885 2869

Manitoba

Tenold Transportation Inc
1803 Helka Ave
Winnipeg, MB
R2R 0K3
Tel: 204 694 4138

Ontario

Allin Cable Reels (1984) Ltd.
179 Baseline Road East
Bowmanville, On
L1C 3C4
Tel: 905 623 4455

Alberta

Tenold Transportation Inc
4503 – 17th Street
Edmonton, AB
T6P 1X5
Tel: 780 453 2761

Saskatchewan

Tenold Transportation Inc
P.O. Box 1059, 54 Queen St
Weyburn, SK
S4H 2L3
Tel: 306 848 1700

British Columbia

Tenold Transportation Inc
19470 - 94th Avenue
Surrey, BC
V4N 4E5
Tel: 604 888 7822

Quebec

J. Hamelin Industries
2140B boul. Industriel
Chambly, QC
J3L 4V2
Tel: 450 658 5251



WOOD REELS/TOURETS EN BOIS

Returnable Reels: NEMA/EFC Wood Reels Standard

Tourets consignés : tourets en bois NEMA/EFC

Flange Diameter	Traverse Diameter	Drum Diameter	Overall Width	Arbour Hole	Average Tare Mass	Deposit Value
Inches					kgs	CDN \$
Returnable Wood Reels / Tourets en bois NEMA/EFC						
36	18	16	22.50	3.06	50	125.00
40	18	18	23.50	3.06	60	180.00
40	24	17	30.00	3.06	70	180.00
42	24	24	30.00	3.06	75	180.00
45	28	21	34.00	3.06	90	235.00
48	24	24	30.00	3.06	95	235.00
50	32	23	38.00	3.06	105	270.00
54	32	26	38.00	3.06	140	315.00
58	32	28	38.00	3.06	150	335.00
60	32	32	38.00	3.06	170	390.00
66	36	36	42.00	3.06	245	540.00
68	38	28	44.00	3.06	250	540.00
72	36	48	43.00	4.00	340	665.00
72	36	36	43.00	4.00	320	665.00
72	48	36	55.00	4.00	340	665.00
78	36	48	43.00	4.00	385	745.00
78	36	40	43.00	4.00	365	745.00
78	48	42	53.00	4.00	400	745.00
84	42	48	49.00	4.00	450	860.00
84	54	48	61.00	4.00	490	860.00
90	46	56	55.00	5.00	640	1550.00
90	54	48	63.00	5.00	660	1550.00
96	46	56	55.00	5.00	700	1650.00
96	46	44	55.00	5.00	680	1650.00
96	54	56	63.00	5.00	730	1650.00
102	45	50	54.00	5.00	745	1930.00
108	46	60	55.00	5.00	860	2330.00
Diamètre des joes	Diamètre de la traverse	Diamètre du tambour	Largeur hors tout	Trou axial	Masse à vide moyenne	Consigne
Po					kgs	CDN \$



STEEL REELS/TOURETS EN ACIER

Returnable Reels: NEMA/EFC Steel Reels Standard

Tourets consignés : tourets en acier NEMA/EFC

Flange Diameter	Traverse Diameter	Drum Diameter	Overall Width	Arbour Hole	Average Tare Mass	Deposit Value
Inches					kgs	CDN \$
Returnable Steel Reels / Tourets en acier NEMA/EFC						
42	24	24	33.00	3.25	120	830.00
48	24	24	33.00	3.25	135	960.00
54	32	32	41.00	3.25	180	1080.00
60	32	32	41.00	3.25	190	1240.00
66	32	36	41.00	3.25	250	1440.00
72	36	40	45.00	3.25	325	1840.00
72	36	48	45.00	3.25	330	1840.00
78	48	36	56.00	4.00	375	2400.00
84	36	42	45.00	5.25	425	2800.00
84	45	42	55.00	5.25	470	2800.00
90	45	42	55.00	5.25	520	3200.00
90	45	56	55.00	5.25	540	3200.00
90	54	56	64.00	5.25	590	3200.00
96	60	42	71.00	5.25	710	3600.00
96	60	56	71.00	5.25	725	3600.00
108	74	56	85.00	5.25	850	5000.00
Diamètre des joes	Diamètre de la traverse	Diamètre du tambour	Largeur hors tout	Trou axial	Masse à vide moyenne	Consigne
Po					kgs	CDN \$



Returnable Reels: General Cable Standard (Wood & Steel)*

Tourets consignés : standard de General Cable (bois et acier)*

Flange Diameter	Traverse Diameter	Drum Diameter	Overall Width	Arbour Hole	Average Tare Mass	Deposit Value
Inches					kgs	CDN \$
General Cable Standard / Standard de General Cable						
Wood Reels / Tourets en bois						
36	16	16	20.50	2.75	50	125.00
36	16	18	20.50	2.75	50	125.00
40	22	22	27.50	2.75	70	180.00
48	22	22	27.50	2.75	90	235.00
50	32	23	37.50	2.75	105	270.00
54	28	28	33.50	2.75	135	315.00
56	32	25	37.50	2.75	150	335.00
60	28	33	33.50	2.75	180	390.00
65	40	27	45.50	2.75	245	380.00
69	28	44	33.50	3.25	225	570.00
72	36	48	43.00	3.75	320	665.00
78	36	48	43.00	3.75	360	745.00
84	36	48	43.00	3.50-5.00	430	860.00
84	42	48	49.00	3.75	450	860.00
90	45	42	55.00	5.25	520	1550.00
90	45	56	55.00	5.25	540	1550.00
90	54	56	64.00	5.25	590	1550.00
96	42	56	50.25	4.00	680	1650.00
102	45	50	53.25	5.00	725	1930.00
104	42	56	50.25	4.00	725	1930.00
108	42	56	50.25	4.00	800	2330.00
108	46	60	54.25	4.00	820	2330.00
General Cable Standard / Standard de General Cable						
No Deposit Wood Reels / Tourets en bois sans frais de consignation						
24	12	10	14.5	3.00	10	-
24	18	10	21.0	3.00	12	-
27	18	12	21.5	3.00	18	-
30	18	12	21.5	3.00	18	-
32	24	14	28.5	3.00	22	-
36	24	17	28.5	3.00	37	-
General Cable Standard / Standard de General Cable						
Steel Reels / Tourets en acier						
72	42	36	48.00	4.00	350	1840.00
78	48	36	56.00	4.00	375	2400.00
84	46	34	53.50	4.00	450	2800.00
84	48	56	58.00	5.25	515	2800.00
96	42	42	49.25	5.25	500	3600.00
108	54	54	64.00	5.00	1020	5000.00
118	58	58	68.00	5.00	1270	5200.00
Diamètre des joes	Diamètre de la traverse	Diamètre du tambour	Largeur hors tout	Trou axial	Masse à vide moyenne	Consigne
Po					kgs	CDN \$